

Better Building
Better Future.
助力世界每一座城市的发展

01

BOB-LIFT BUILDS WORLD CITIES

BOB-LIFT

徐州巴布工程机械有限公司

XUZHOU BOB-LIFT CONSTRUCTION MACHINERY CO., LTD.

Web: www.boblift.com

Tel: 86-516-8399 1888

Mob: 86-158 5249 9415 (WeChat)

WhatsApp: 86-158 5249 9415

Add: Xuzhou City, Jiangsu Province, China



Web



Channels



徐州巴布工程机械有限公司

XUZHOU BOB-LIFT CONSTRUCTION MACHINERY CO., LTD.

**BOB-LIFT POWERING
THE DEVELOPMENT OF
EVERY CITY WORLDWIDE.**

**BOB-LIFT助力世界每一座城市
的发展。**

ABOUT US

公司介绍 COMPANY PROFILE

徐州巴布工程机械有限公司始创于2003年,其产品远销全球100多个国家和地区,赢得客户的广泛赞誉与高度认可。公司的主要产品包括SQ08-SQ40系列折叠臂和伸缩臂随车起重机、船用起重机及轨道起重机和抓木起重机、叉车起重机等相关变形产品。

近年来,徐州巴布积极响应国家号召,踊跃投身于“一带一路”沿线国家建设,目前已覆盖“一带一路”沿线95%以上的国家和地区,为当地经济建设贡献力量。

徐州巴布正坚定产业高端化、智能化、绿色化、国际化升级,加快建设现代化企业,以高品质产品服务全球。

BOB-LIFT助力世界每座城市的发展。

Xuzhou BOB-LIFT Construction Machinery Co., Ltd. was founded in 2003. Its products are sold to more than 100 countries and regions worldwide, earning extensive praise and high recognition from customers. The company's main products include the SQ08-SQ40 series of folding-boom and telescopic-boom truck-mounted cranes, marine cranes, track cranes, timber crane, forklift cranes, and related variant products.

In recent years, BOB-LIFT has actively responded to the national call and enthusiastically participated in the construction of countries along the "Belt and Road" initiative. Currently, its products have reached over 95% of the countries and regions along the route, contributing to local economic development.

Xuzhou BOB-LIFT is firmly committed to upgrading its industry towards high-end, intelligent, green, and international standards, accelerating the establishment of a modern enterprise, and serving the global market with high-quality products.

BOB-LIFT support the development of every city in the world.

Global Market

全球案例

20⁺
Years

BOB-LIFT Has More Than 20 Years of Experience in Crane Production.

BOB-LIFT拥有20多年起重机生产经验。

30⁺
Distributors

BOB-LIFT Has More Than 30 Distributors Worldwide.

BOB-LIFT在全球拥有30多家经销商。

12_{AS}

BOB-LIFT Has 12 Overseas After-sales Service Locations Around the World.

BOB-LIFT在全球拥有12个海外售后服务网点。

124
Countries

BOB-LIFT Cranes have Exported to 124 Countries and Regions Around the World.

BOB-LIFT的产品出口到全球124个国家和地区。



Project Cases

工程案例



10ton truck-mounted crane exported to Uzbekistan.



3.2ton truck-mounted crane exported to Chile.



Cranes exported to Mexico in bulk.



5ton truck mounted cranes exported to Russia.



4ton truck mounted cranes exported to Colombia.



5ton truck mounted cranes exported to Belarus .



Certificates

证书




Knuckle Boom Truck Mounted Crane 折叠臂随车起重机

产品技术优势



- 1.关键结构件均采用高强度板焊接,吊臂六边形截面,对中性好、更结实、耐用;
- 2.配备专用力矩限制器,安全等级高,通过各种安全认证,吊装作业更加精准,安全,可靠;
- 3.6.3T以上吊机采用方厢支腿,能更好的保护油缸。
- 4.多种可选配置,如绞车、钻杆、吊篮、抓具等可满足个性化定制需求;
- 5.多种操作方式可选,如高空座椅、无线遥控操纵系统等,作业更加便利;
- 6.双四连杆变幅机构,可以实现反角,应用范围广,作业灵活;
- 7.标配大跨距固定支腿,可选装手动翻转,保障作业稳定性和作业便捷性。

Product technical advantages

- 1.All the key structural components are welded with high-strength plates. The hexagonal boom section ensures excellent alignment, more sturdy quality and greater durability.
- 2.Our products are equipped with a dedicated torque limiter, offering a high level of safety. The cranes are certified for various safety standards, making lifting operations more precise, safe, and reliable.
- 3.Cranes with a capacity above 6.3 tons feature box-type outriggers, offering better protection for the hydraulic cylinders.
- 4.Multiple optional configurations, such as winches, augers, baskets, and grapples, allow for personalized customization.
- 5.Various operation modes are available, including aerial seats and wireless remote control systems, making work more convenient.
- 6. The dual four-bar linkage mechanism allows for reverse angles, offering wide application versatility and flexible operation.
- 7.Standard large-span fixed outriggers with optional manual flip provide stability and ease during operations.





Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列




型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ08ZA3+1	800KG	1.3Ton.m	3.5KW	8L/min	18MPa	330KG	330°
SQ1ZA3+1	1600KG	2.2Ton.m	7.5KW	15L/min	18MPa	470KG	330°

Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列






型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ2ZA4	2000KG	4.2Ton.m	9KW	20L/min	20MPa	750KG	370°
SQ3.2ZA3	3200KG	6.8Ton.m	14KW	25L/min	25MPa	1330KG	400°

Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列





Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列



型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ3.2ZA4	3200KG	6.8Ton.m	14KW	25L/min	25MPa	1450KG	400°
SQ4ZA3	4000KG	8.4Ton.m	14KW	25L/min	26MPa	1350KG	400°



型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ4ZA4	4000KG	8.4Ton.m	14KW	25L/min	26MPa	1460KG	400°
BLZ90K5	4600KG	9Ton.m	15KW	25L/min	28MPa	1700KG	380°

Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列





型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ5ZA3	5000KG	10.5Ton.m	22KW	35L/min	28MPa	2286KG	400°
SQ5ZA4	5000KG	10.5Ton.m	22KW	35L/min	28MPa	2386KG	400°

Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列





型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
BLZ129K4	6300KG	12.9Ton.m	22KW	35L/min	28MPa	1850KG	380°
SQ6.3ZA5	6300KG	13.2Ton.m	22KW	40L/min	28MPa	2310KG	360°Continuous

Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列





型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ8ZA6	8000KG	16Ton.m	25KW	40L/min	28MPa	3450KG	360°Continuous
SQ10ZA6	10000KG	21Ton.m	30KW	40L/min	30MPa	3700KG	360°Continuous

Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列





型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ12ZA6	12000KG	27Ton.m	30KW	55L/min	28MPa	4800KG	360°Continuous
SQZ330	16000KG	33Ton.m	45KW	63L/min	33MPa	4900KG	360°Continuous

Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列



型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQZ430	20000KG	42.3Ton.m	45KW	63L/min	33MPa	5500KG	360°Continuous
SQZ500	25000KG	53.9Ton.m	50KW	70L/min	33MPa	6300KG	360°Continuous


Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列




型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQZ560	28000KG	57.3Ton.m	65KW	80L/min	35MPa	6100KG	360°Continuous
SQZ600	30000KG	63.3Ton.m	65KW	80L/min	35MPa	7500KG	360°Continuous

Knuckle Boom Truck mounted Crane 折叠臂随车起重机系列

SQZ700



SQZ800



型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQZ700	34000KG	70.1Ton.m	75KW	90L/min	35MPa	8500KG	360°Continuous
SQZ800	40000KG	80Ton.m	75KW	100L/min	35MPa	9000KG	360°Continuous



Telescopic Boom Truck Mounted Crane 伸缩臂随车起重机


产品技术优势

- 1. 关键结构件均采用高强度钢板焊接,强度高、自重轻;
- 2. 8吨以上采用八边形吊臂,自重轻,承载能力强;
- 3. 配备专用力矩限制器,安全等级高,通过各种安全认证,吊装作业更加精准,安全,可靠;
- 4. 配备防过卷和防过放保护系统,极大的保护了吊装的安全,延长吊机使用寿命;
- 5. 多种可选配置,如绞车、钻杆、吊篮、抓具等可满足个性化定制需求;
- 6. 多种操作方式可选,如高空座椅、无线遥控操纵系统等,作业更加便利。




Product technical advantages

- 1. The key structural components are welded with high-strength steel plates, offering high strength and lighter self-weight.
- 2. Cranes with a capacity above 8 tons use octagonal booms, which possess light self-weight and a strong load-bearing capacity.
- 3. Our products are equipped with a dedicated torque limiter, ensuring a high safety level. The cranes are certified for various safety standards, ensuring lifting operations are precise, safe, and reliable.
- 4. The features of anti-overwinding and anti-overlowering protection systems, significantly enhance lifting safety and extend crane service life.
- 5. Multiple optional configurations, such as winches, augers, baskets, and grapples etc. can satisfy personalized customization needs.
- 6. Various optional operation modes, such as top seats and wireless remote control systems, make operations more convenient.

Telescopic Boom Truck mounted Crane 伸缩臂随车起重机系列




Telescopic Boom Truck mounted Crane 伸缩臂随车起重机系列






型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ2SA3	2000KG	4.2Ton.m	8KW	20L/min	16MPa	950KG	360°Continuous
SQ3.2SA4	3200KG	7Ton.m	14KW	25L/min	20MPa	1350KG	360°Continuous

型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ4SA4	4000KG	8.4Ton.m	16KW	25L/min	20MPa	1780KG	360°Continuous
SQ5SA3	5000KG	12.5Ton.m	18KW	32L/min	20MPa	2100KG	360°Continuous

Telescopic Boom Truck mounted Crane 伸缩臂随车起重机系列



Telescopic Boom Truck mounted Crane 伸缩臂随车起重机系列




型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ5SA4	5000KG	12.5Ton.m	18KW	32L/min	21MPa	2400KG	360°Continuous
SQ6.3SA4	6300KG	15.75Ton.m	22KW	40L/min	20MPa	2600KG	360°Continuous

型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ8SA5	8000KG	20Ton.m	30KW	55L/min	26MPa	4000KG	360°Continuous
SQ10SA4	10000KG	25Ton.m	37KW	63L/min	26MPa	3800KG	360°Continuous




Telescopic Boom Truck mounted Crane

伸缩臂随车起重机系列



Telescopic Boom Truck mounted Crane

伸缩臂随车起重机系列



型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ12SA4	12000KG	33Ton.m	45KW	75L/min	26MPa	4600KG	360°Continuous
SQ14SA5	14000KG	35Ton.m	42KW	75L/min	26MPa	5100KG	360°Continuous

型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SQ16SA5	16000KG	40Ton.m	55KW	80L/min	30MPa	6600KG	360°Continuous
SQ20SA5	20000KG	50Ton.m	55KW	80+63L/min	25MPa	7300KG	360°Continuous





Timber Crane 抓木吊





Timber Crane 抓木吊

ZM65




ZM75




型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
ZM65	700KG	6.5Ton.m	18KW	45L/min	19MPa	1280KG	380°
ZM75	700KG	6.5Ton.m	18KW	45L/min	19MPa	1400KG	380°

Tibmer Crane 抓木吊

SL70




SL150-2A




型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
SL70	600KG	7Ton.m	18KW	45L/min	22MPa	1450KG	380°
SL150-2A	1000KG	15Ton.m	32KW	60L/min	25MPa	2650KG	380°

Timber Crane 抓木吊

ZT120Z-2A



ZT160Z-2A



型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	起重机自重	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Self Weight	Rotation Angle
ZT120Z-2A	1300KG	12Ton.m	25KW	50L/min	27MPa	2300KG	380°
ZT160Z-2A	1800KG	16Ton.m	35KW	80L/min	28MPa	2700KG	380°




Fly Jib Crane

飞臂吊




FLY JIB CRANE 飞臂吊

CC85




CC105




项目	Item	单位 Unit	CC85	CC105
最大起重质量	Max Lifting Capacity	Kg	2000	2300
最大起重力矩	Max Lifting Moment	KN.m	50	50
最大工作幅度	Max Working Range	Mm	5400	6500
最大起升高度	Max Lifting Height	Mm	8400 (3M门架) 9900(4.5M门架)	9500 (3M门架) 11000(4.5M门架)
额定工作压力	Rated Working Pressure	MPa	20	20
起重质量	Self Weight	Kg	560	650
匹配叉车	Matching Forklifts	T	3T 3.5T	3.5T 4T

FLY JIB CRANE 飞臂吊

CC125




CC145




项目	Item	单位 Unit	CC125	CC145
最大起重质量	Max Lifting Capacity	Kg	3500	5000
最大起重力矩	Max Lifting Moment	KN.m	60	115
最大工作幅度	Max Working Range	Mm	8000	9400
最大起升高度	Max Lifting Height	Mm	11000 (3M门架) 12500 (4.5M门架)	12400 (3M门架) 13900 (4.5M门架)
额定工作压力	Rated Working Pressure	MPa	20	20
起重机质量	Self Weight	Kg	850	1200
匹配叉车	Matching Forklifts	T	4T 6T	5T 7T

Tow Truck Crane 挪车吊




型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	安装空间	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Installation Space	Rotation Angle
SQ5SA2F	5150KG	14.5 Ton.m	22KW	35L/min	28MPa	850mm	400°

Garbage Crane 垃圾吊





型号	最大起重质量	最大起重力矩	推荐功率	液压系统流量	液压系统压力	安装空间	回转角度
Model	Max Lifting Capacity	Max Lifting Moment	Recommend Power	Hydraulic System Flow	Hydraulic System Pressure	Installation Space	Rotation Angle
F100Z-2E	2450KG	10 Ton.m	18KW	40L/min	28MPa	800mm	360°Continuous

Crawler Crane 蜘蛛吊



型号	最大起重质量	最大作业半径	最大地上扬程	起升角度	外形尺寸	整车重量	回转角度
Model	Max Lifting Capacity	Max Work Radius	Max Ground Lifting Height	Lifting Angle	Dimension	Vehicle Weight	Rotation Angle
SQ4ZG3T	1600KG	5.6M	5.7M	0-65°	1600X1400X1730MM	2460KG	360°Continuous

Crawler Crane 蜘蛛吊



型号	最大起重质量	最大作业半径	最大地上扬程	起升角度	外形尺寸	整车重量	回转角度
Model	Max Lifting Capacity	Max Work Radius	Max Ground Lifting Height	Lifting Angle	Dimension	Vehicle Weight	Rotation Angle
BLS3.0T	2950KG	8.46M	9.0M	0-70°	2850X850X1600MM	2200KG	360°Continuous

Crane Grapple 起重机抓具

Hydraulic Brick Grapple

The working method of this gripper is to use the expansion and contraction of the hydraulic cylinder to control the closing and opening of the gripper to grab and release objects.



Clamshell Bucket

Clamshell bucket with horizontal cylinder for loading, unloading and light digging. Suitable for waste, chippings and excavation.



Waterweed Grapple

Grab with two horizontal cylinders for agricultural works.



Crane Grapple 起重机抓具

Orange Peel Grab

orange peel grab, leveling cylinders, for powder chips, scrap handling, for truck mounted cranes.



Timber Grapple

Timber grapple with horizontal cylinder with blade.



Auger Drill

It can be used in digging holes, tree planting holes, coal sampling, foundation pillar drilling, telephone pole holes, and wind turbine pillar deep hole drilling construction.



Aerial Work Platform 高空作业车




Optional Accessories 选配装置




Wireless remote control



Moment limiter



Anti-overwinding protection device



Over-release Protection device



man basket



Rear outriggers

Marine Crane 船用起重机

For marine crane catalog, please contact our sales team!

